

# uvex

**SAFETY  
EYEWEAR**

27.05.2021

## Product Datasheet model uvex i-vo 9160 076



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

### Product characteristics


- fashionable safety spectacles with adjustable side arms
- reliable protection provided by its perfect fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit
- the shape of the lenses ensures unrestricted peripheral vision

### Technical details

#### Frame

Material  
Colour

**Front piece**  
TPU/TPE  
black/grey

Material	<b>Side piece</b>
Features	PA
Colour	5 position length adjustability black
Material	<b>Temple</b>
Features	PBT+PC/TPE
Colour	quattroflex temple black, grey
Manufacturer's ID code	<b>Marking</b>
Applicable EN norm	W
Low-energy impact	166
Resistance to high speed particles at extremes of temperat.	F (45 m/s) T
<b>Lens</b>	
Material	PC
Thickness	3 mm at PD
Coating	uvex supravision sapphire
Colour	grey 23 %
UV protection	UV400
Filter	<b>Marking</b>
Manufacturer's ID code	5-2,5 (DIN EN 172)
Optical class	W
Low-energy impact	1
Resistance to high speed particles at extremes of temperat.	F (45 m/s) T
Surface resistance to fine particles	K
Conformity symbol	CE
Factory symbol	

**Miscellaneous**

Weight

33 g

Packing

5 spectacles per box

200 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 172

PPE Category

Category II